


ARTEMIS 5 CT

RECESSED COLOR TUNING DOWNLIGHT



Artemis 5 CT - Recessed Color Tuning Downlight. Artemis 5 CT features SENSO-designed reflectors for comfortable color tuning in an efficient lighting package. As part of the Artemis family of downlights, it's easy to get a cohesive design regardless of fixture size or style.

Ordering Code

Fixture	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	1	2	3	4	5	6	7	8	9
Driver	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	1	--	--	4	5	--	--	--	8

Product Specifications

SAMPLE: Fixture **AR5D - TL - CT - 615 - 2765 - 20 - DL - 02 - 08** | Driver **910 - AR5D - TL - DALI - 120 - CT - 20 - 08**

1 - Model	2 - Trim	3 - LED	4 - Optic	5 - CCT	6 - Lumen	7 - Accessory
AR5D · Artemis 5 Downlight	FL · Flanged TL · Trimless	CT · Color Tuning (90 CRI)	615 · 15° 630 · 30° 645 · 45° 660 · 60°	2765 · 2700K - 6500K	20 · 2000 @ 4000K (22W) (1000lm per channel) 40 · 4000 @ 4000K (53W) (2000lm per channel)	00 · No Accessory DL · Diffusing Lens
AR5A · Artemis 5 Adjustable						
AR5W · Artemis 5 Wall Wash						

8 - Trim Color	9 - Baffle Color	1 - Housing Style	2 - Model	3 - Trim	4 - Driver	Dim Level
01 · White 02 · Black 08 · Silver XX · Custom	01 · White 02 · Black 08 · Silver XX · Custom	910 · Remote 915 · New Construction	Same as Fixture	Same as Fixture	DALI · Dali Protocol LCS · 2 channel 0-10V dimming** DMX · SENSO	0.1%

5 - Voltage	6 - LED	7 - Lumen	8 - Baffle Color*2			
120 · 120V 277 · 277V	Same as Fixture	Same as Fixture	Same as Fixture	*1 910 - Remote Housing only *2 Only needed for Trimless	Project :	_____
					Quantity :	_____
					Type :	_____
					Notes :	_____

ARTEMIS 5 CT

RECESSED COLOR TUNING DOWNLIGHT



Light Engine


- Output:** up to 4000lm
- High Efficacy:** up to 95 lumen/Watt
- Color Temperature (CCT):** 2700K up to 6500K
- Color Consistency:** Range within a 3-MacAdam Ellipse
- Color rendering (CRI):** 90 CRI

Driver

- Dimming:** Dali and DMX
- Ripple:** Industry leading Low ripple
- Efficiency:** Power Factor >0.9
Efficiency over 85%
Class 2 output for safety
- Installation:** Small Footprint allows retrofit installations

Reflector

Faceted Reflector




Installation

- For new and retrofit installations
- Simple connection between fixture and driver via quick connect


Construction / Finish

- Satin powder coated finish
- Custom finishes are available
- Cast Aluminum Trim
- Made in Canada


Artemis 5 Fixed Downlight



Artemis 5 Adjustable



Artemis 5 Wall Wash





ARTEMIS 5 CT



RECESSED COLOR TUNING DOWNLIGHT

Housing Options

Standard Senso Housing - 910



Dimension




Included



Unless specified otherwise, this is provided as standard

- Driver with enclosure**
 - Galvanized steel enclosure
- Installation**
 - Laying on top of ceiling
 - Remote from fixture
 - Hanger bar and mount included

New Construction - 915



Dimension



Included

- Plaster Frame**
 - Galvanized steel construction with cut-out
- Bar hanger**
 - Length: from 14-3/16" to 26"
- Outlet Box**
 - Outlet Box Included