




The KM Channel linear aluminum extrusion has been designed to fit many LED lighting needs. Multiple mounting and lens options allow for great flexibility and adaptability for any application. Extrusion and diffuser lenses are also field cuttable. Substantial aluminum mass in profile provides excellent heat sink for high power LEDs. Mounting brackets and end caps are available in multiple finishes and sold separately.




Technical information

Finish: Silver anodized, White

Diffuser lens: polycarbonate, snap-in-place, UV resistant

Mounting: multiple mounting brackets (page 2)



Lens Options	
Actual length	48", 72", 96", & 144"
Available lenses	<ul style="list-style-type: none"> - Clear - Frosted - Half Frosted - Clear 10° beam angle - Raised - Flat Frosted Gel

Ordering code

MODEL	LENGTH	LENS	FINISH
KMC	48	C	SA
KMC - KM Channel	48 - 48" 72 - 72" 96 - 96" 144 - 144"	C - Clear F - Frosted HF - Half Frosted C10 - Clear 10° beam angle R - Raised FFG - Flat Frosted Gel	SA - Silver anodized WH - White


NOTE: For Channels and Lenses over 90", incremental shipping charges will apply

All accessories sold separately.

Mounting Brackets


MB-KMSC-SS

Stainless steel screw-in mounting bracket




MB-KMSC-45-SS

Stainless steel screw-in 45° mounting bracket




MB-KMSC-A-SA

Silver anodized adjustable mounting bracket



MB-KMKSC-EFC-SS

Stainless steel screw-in exterior bracket, with set screw to secure channel in place




End Caps

Clear, frosted, half frosted, or flat frosted gel lens only


EC-KMC-F-H8-SA

Silver anodized w/powerfeed opening




EC-KMC-F-H8-WH

White w/powerfeed opening




EC-KMC-F-H4-SA

Silver anodized




EC-KMC-F-H4-WH

White



EC-KMC-F-H3-SA

Silver anodized



EC-KMC-F-H3-WH

White




All accessories sold separately.

End Caps

Clear 10° lens only


EC-KMC-G-H8-SA

Silver anodized w/powerfeed opening




EC-KMC-G-H8-WH

Silver anodized w/powerfeed opening




EC-KMC-G-H4-SA

Silver anodized




EC-KMC-G-H4-WH

White




EC-KMC-G-H3-SA

Silver anodized



EC-KMC-G-H3-WH

White




End Caps

Raised lens only


EC-KMC-R-H8-SA

Silver anodized w/powerfeed opening




EC-KMC-R-H8-WH

Silver anodized w/powerfeed opening




EC-KMC-R-H4-SA

Silver anodized




EC-KMC-R-H4-WH

White



EC-KMC-R-H3-SA

Silver anodized



EC-KMC-R-H3-WH

White

