## RECESSED ADJUSTABLE LED DOWNLIGHT











Latona 2 - Recessed Adjustable downlight. The Latona 2, a smaller, stylish recessed fixture, features a 30° adjustable aperture that uses the Xicato module as its potent LED power source.

# **Ordering Code**

Fixture	511								
	1	2	3	4	5	6	7	8	
Driver		511							
	1	2	3	4	5	6	7	8	

# **Product Specifications**

SAMPLE: Fixture 511 - FL - 90 - 615 - 27 - 07 - 00 - 01 | Driver 910 - 511 - FL - STD - 120 - 90 - 07 - 01

1 - Model	2 - Trim 3 - LED		4 - Reflector		5 - CCT	6 -	Lumen	7 - Accessory	
<b>511</b> · Latona 2	<b>FL</b> · Flanged <b>99</b> · Flangeless	90 · Designer* <sup>1</sup> / 83V · Vibrancy* <sup>2</sup> 98 · Artist 98+* 98V · Vibrancy/A 98B · Beauty* <sup>1/3</sup>	640 3 638F	• 15° • 40° • 38° Faceted • 60°	27 · 2700K 30 · 3000K 35 · 3500K 40 · 4000K	10	- 700 (4.5W) - 1000 (6.6W) - 1300 (9.5W)	00 · No Accessory DL · Diffusing Lens	
8 - Finish	1 - Housing Style	2 - Model	3 - Trim	4 - Driver	D	im Level		D	im Level
01 · White 02 · Black 08 · Silver XX · Custom	<ul> <li>910 · Remote</li> <li>915 · New construction</li> <li>920 · IC Housing*3/4</li> </ul>	Same as Fixture	Same as Fixture	LCS · 0 - DIM · Ph ELDOLC · Eld	STD · Non Dimming LCS · 0 - 10 Volt Protocol DIM · Phase*5 ELDOLC · EldoLED 0 - 10 Volt*6 DALI · Dali Protocol*6		LUT2W · 2 Wi LUT5S · 5 Se DMX · SEN	ries Eco System*6	1% 1% 5%
5 - Line Voltage	6 - LED	7 - Lumen	8 - Finish*9						
<b>120</b> · 120V <b>277</b> · 277V <b>347</b> · 347V*8	Same as Fixture	Same as Fixture	Same as Fixture Only required with Flangeless Trim		Qua -	ntity : — Type : —			

<sup>\*1</sup> Only available in 2700K

<sup>\*10</sup> Not available with 15° reflector







<sup>\*2</sup> Only available in 3000K

<sup>\*3 1000</sup>lm max

<sup>\*4</sup> Not available with flangeless trim

<sup>\*5 120</sup>V only

<sup>\*6</sup> Requires remote housing

<sup>\*7</sup> Specified separately

<sup>\*8</sup> Not available with ELDO, Lutron or DMX

<sup>\*9</sup> Only required with **Flangeless Trim** 

# RECESSED ADJUSTABLE LED DOWNLIGHT



## XTM Module

- Up to 125 lumens per Watt at operating conditions
- Very tight color consistency, within 1 x 2 MacAdam Ellipses
- · Available in 19mm and 9mm LES
- 83+ and 98+ CRI versions

#### 98+ (Artist)

Xicato Artist Series is virtually indistinguishable from halogen light, and delivers high quality, natural light that is efficient and long lasting.



CCT: 2700 - 4000 CRI: 98+

#### Vibrancy

Xicato Vibrant Series enables us to see colors, hues and tones. that are real, but simply aren't visible under halogen light.



**CCT:** 3000 CRI: 83+, 98+

#### Designer

Xicato Designer Series is custom formulated to provide outstanding color rendering while retaining high efficacy.



**CCT:** 2700 - 4000 **CRI:** 90

#### Beauty


Xicato Beauty Series makes it possible to precisely tune the spectrum to deliver extraordinary clarity and fidelity for settings where people are the focus.




**CCT:** 2700 **CRI:** 95

## Reflector

Faceted Reflector



Smooth Reflector




## Installation

- · For new and retrofit installations
- Easy installation with spring loaded tabs
- Simple connection between fixture and driver via quick connect
- 0° to 30° adjustable tilt angle

## Construction/Finish

- · Powder coated in white, black or silver
- · Custom finish are available
- · Cast aluminum
- · Seismic tether
- Made in Canada








## RECESSED ADJUSTABLE LED DOWNLIGHT



# **Housing Options**

## Standard Senso Housing - 910

## Dimension



#### Included

Unless specified otherwise, this is provided as standard

Included with large 910 box only

Length: from 14-3/16" to 26"

Mounting screws not included

Driver with enclosure Security wire

Galvanized steel enclosure

Flexible aircraft cable, 12" long Easy to clip snap body included


\* driver can be installed either:

(A) laying on top of ceiling. (B) mounted to the bar hanger and fixed to the ceiling. (C) remote from the fixture, with the bar hanger still used if desired to secure the fixture

## New Construction - 915 Flanged



## Dimension




[18mm]

## New Construction - 915 Flangeless



## Dimension



[15mm]

### Included

Plaster Frame Galvanized steel construction with cut-out to


Bar hanger Length: from 14-3/16" to 26'

**Outlet Box** Standard Senso housing 910 included


Security wire Flexible aircraft cable, 12" long

Easy to clip snap body included

## IC Housing - 920



### Dimension





### Included

IC Housing

Galvanized steel construction

Airtight

Includes gasketed junction box

Plaster Frame

Galvanized steel construction

Length: from 14-3/16" to 26" Bar hanger

Note: Lumen output cannot exceed 1000lm Not available in flangeless