

# LETO 11 Mini T

TRACK LED SPOTLIGHT



**Leto 11 Mini T - Track LED Spotlight.** LETO 11 Mini T is a track version of the Medium Leto 11 Mini. It offers an articulating, short-stem spotlight combined with a versatile and efficient LED. Excels in display based spaces like galleries, industrial and retail.

## Ordering Code

Fixture	<b>662</b>							
	1	2	3	4	5	6	7	8
Driver								
	1	2	3	4				

## Product Specifications

SAMPLE: Fixture **662 - A90 - 617 - 27 - 07 - 00 - 01 - 01** | Driver **STD - 120 - A90 - 07**

1 - Model	2 - CRI/LED	3 - Optic	4 - CCT	5 - Lumen	6 - Accessory
<b>662</b> · Leto 11 Mini <sup>*1</sup> One Circuit	<b>A90</b> · 93+ CRI Accuracy <b>WD</b> · Warm Dimming <sup>WD</sup> (90 CRI)	<b>617</b> · 17° <b>630</b> · 30° <b>645</b> · 45°	<b>25</b> · 2500K <b>27</b> · 2700K <b>30</b> · 3000K <sup>WD</sup> <b>35</b> · 3500K <b>40</b> · 4000K <b>65</b> · 6500K	<b>07</b> · 700 (6.1W) <sup>WD</sup> <b>10</b> · 1000 (9.1W) <sup>WD</sup> <b>15</b> · 1500 (14W)	<b>00</b> · No Accessory <b>DL</b> · Diffusing Film <b>HO</b> · Honeycomb
<b>663</b> · Leto 11 Mini <sup>*1</sup> Two Circuit					
<b>667</b> · Leto 11 Mini Three Circuit					

7 - Body Color	8 - Baffle Color	1 - Driver	Dim Level	2 - Voltage	3 - CRI/LED	4 - Lumen	
<i>Standard</i> <b>01</b> · White <b>02</b> · Black <b>08</b> · Silver	<i>Premium</i> <b>52</b> · Mocha <b>53</b> · Charcoal <b>54</b> · Cerulean <b>55</b> · Firebrick <b>BZ</b> · Bronze <b>WN</b> · Warm Nickel <b>AB</b> · Aged Brass <b>XX</b> · RAL	<i>Standard</i> <b>01</b> · White <b>02</b> · Black <b>08</b> · Silver	<i>Premium</i> <b>52</b> · Mocha <b>53</b> · Charcoal <b>54</b> · Cerulean <b>55</b> · Firebrick <b>BZ</b> · Bronze <b>WN</b> · Warm Nickel <b>AB</b> · Aged Brass <b>XX</b> · RAL	<b>STD</b> · Non Dimming <b>LCS</b> · 0 - 10 Volt Protocol <sup>WD</sup> <b>DIM</b> · Phase <sup>*2</sup>	N/A 1% 1%	<b>120</b> · 120V <b>277</b> · 277V	Same as Fixture Same as Fixture

\*1  
\*2 120V only

# LETO 11 Mini T

TRACK LED SPOTLIGHT



## Light Engine

- Output:** up to 1500lm
- High Efficacy:** up to 110 lumen/Watt
- Color Options (CCT):** 2500K, 2700K, 3000K, 3500K, 4000K, 6500K
- Color Consistency:** Range within a 3-MacAdam Ellipse
- Color rendering (CRI):** 93+ CRI & 50+ R9 Value

## Driver

- Dimming:** 1% dimming standard
- Ripple:** Industry leading Low ripple
- Efficiency:** Power Factor >0.9  
Efficiency over 85%  
Class 2 output for safety

Lumen Option	700lm	1000lm	1500lm
Fixture Wattage	6.1W	9.1W	14W
Delivered Lumen	681lm	1021lm	1574lm

## Light Engine: Warm Dimming

- Output:** 1000lm
- High Efficacy:** up to 98 lumen/Watt
- Color Temperature (CCT):** 3000K dimmed to 1800K
- Color Consistency:** Range within a 3-MacAdam Ellipse
- Color rendering (CRI):** 90 CRI

## Driver

- Dimming:** 1% dimming standard with 0.1% option  
Dimmer switch must be capable of dimming less than 5%
- Ripple:** Industry leading Low ripple
- Efficiency:** Power Factor >0.9  
Efficiency over 85%  
Class 2 output for safety
- Installation:** Small Footprint allows retrofit installations


## Installation

- 358° rotation
- 0° to 90° tilt
- Includes track adapter (single or dual phase)

## Construction

- Machined aluminum construction
- High quality, scratch resistant powder coated finish in standard, premium or custom colors
- Made in Canada

## Dimensions




# LETO 11 Mini T

TRACK LED SPOTLIGHT

## Standard Finishes

01 - White



02 - Black



08 - Silver



## Premium Finishes

55 - Mocha



56 - Charcoal



57 - Cerulean



58 - Firebrick




BZ - Bronze



WN - Warm Nickel



AB - Aged Brass



## Accessories

Diffusing Film



Honeycomb

