



Leto 2 - Recessed Down Light with Acrylic Trim. Leto 2, a square recessed LED fixture with design flare, incorporates both design and functionality. Its small round aperture permits refined glare control and precision light distribution.

Ordering Code

Fixture	675					
	1	2	3	4	5	6
Driver		675			--	--
	1	2	3	4	5	6

Product Specifications

SAMPLE: Fixture **675 - 83 - 610 - 27 - 07 - 01** | Driver **915 - 675 - STD - 120 - 83 - 07**

1 - Model	2 - LED	3 - Reflector	4 - CCT	5 - Lumen	6 - Finish	1 - Housing Style
675 · Leto 2	83 · Standard 83+ 98 · Artist 98+ 98B · Beauty* ¹ 83V · Vibrancy* ² 98V · Vibrancy/Artist* ² 90 · Designer	618 · 18° 630 · 30° 645 · 45° 660 · 60°	27 · 2700K 30 · 3000K 35 · 3500K 40 · 4000K	07 · 700 (4.5W) 10 · 1000 (6.6W) 13 · 1300 (9.5W) 20 · 2000 (15.2W) 30 · 3000* ³ (25.7W)	01 · White 02 · Black 08 · Silver XX · Custom	910 · Remote 915 · Plaster Frame 920 · IC Housing* ⁴
2 - Model	3 - Driver	Dim Level	Dim Level	4 - Line Voltage	5 - LED	6 - Lumen
675 · Leto 2	STD · Non Dimming LCS · 0 - 10 Volt Protocol DIM · Phase* ⁴ ELDOLC · EidoLED 0 - 10 Volt DALI · Dali Protocol	N/A 1% 1% 0.1% 0.1%	LUTES · Hilume Ecodigital LUT2W · 2 Wire for phase* ⁴ LUT5S · 5 Series Eco System DMX · SENSO EMG · Emergency Driver* ^{5/6}	1% 1% 5%	120 · 120V 277 · 277V 347 · 347V* ⁷	Same as Fixture Same as Fixture

*1 Only available in 2700K

*2 Only available in 3000K

*3 Not available with Beauty Module

*4 120V only

*5 Requires remote housing

*6 Specified separately

*7 Not available with ELDO, Lutron or DMX

Project : _____
 Quantity : _____
 Type : _____
 Notes : _____

Xicato XTM Module

- Up to 125 lumens per Watt at operating conditions
- Very tight color consistency, within 1 x 2 MacAdam Ellipses
- Available in 19mm and 9mm LES
- 83+ and 98+ CRI versions

83+ (Standard)

Xicato Standard module is a diverse and inexpensive way to transition into LED lit fixtures.


CCT: 2700 - 4000

CRI: 83+



98+ (Artist)

Xicato Artist Series is virtually indistinguishable from halogen light, and delivers high quality, natural light that is efficient and long lasting.




CCT: 2700 - 4000

CRI: 98+

Vibrancy

Xicato Vibrant Series enables us to see colors, hues and tones, that are real, but simply aren't visible under halogen light.




CCT: 3000

CRI: 83+, 98+

Designer

Xicato Designer Series is custom formulated to provide outstanding color rendering while retaining high efficacy.



CCT: 2700 - 4000

CRI: 90

Beauty

Xicato Beauty Series makes it possible to precisely tune the spectrum to deliver extraordinary clarity and fidelity for settings where people are the focus.




CCT: 2700

CRI: 95

Reflector

Faceted Reflector

Senso metal spun reflectors for function, low glare and efficiency






Installation

- For new and retrofit installations
- Holds in place with two spring clips
- Simple connection between fixture and driver via quick connect
- Available for wet rated in single version.

Construction / Finish


- Custom finishes are available
- Cast Aluminum Trim and Steel Casing
- Made in Canada

Dimensions




Housing Options

Standard Senso Housing - 910



Dimension



Included


Unless specified otherwise, this is provided as standard

- Bar hanger** • Length: from 14-3/16" to 26"
- Driver with enclosure** • Galvanized steel enclosure
- Security wire** • Flexible aircraft cable, 12" long
- Easy to clip snap body included


* driver can be installed either:

(A) laying on top of ceiling. (B) mounted to the bar hanger and fixed to the ceiling. (C) remote from the fixture, with the bar hanger still used if desired to secure the fixture

New Construction - 915




Dimension




Included

- Plaster Frame** • Galvanized steel construction with cut-out to
- Bar hanger** • Length: from 14-3/16" to 26"
- Security wire** • Flexible aircraft cable, 12" long
- Easy to clip snap body included

IC Housing - 920



Dimension



Included

- IC Housing** • Galvanized steel construction
- Airtight
- Includes gasketed junction box
- Plaster Frame** • Galvanized steel construction
- Bar hanger** • Length: from 14-3/16" to 26"

Note: Lumen output cannot exceed 1300lm